

MOBILE LED LIGHTING TOWER - ML Series LT3000



# LT3000

3000W LED Mobile Light Tower

The most  
**VERSATILE TOWER EVER**  
has arrived

The LT3000 portable light tower is an affordable yet quality lighting solution for sports and industrial application.

- ✓ Height adjustment  
5.5 to 12 meters
- ✓ Tilting angle adjustment  
 $\pm 165^\circ$
- ✓ Remote control (OPTIONAL)



12V/DC



24V/DC



110V/AC



230V/AC



3KVA

## MOBILE LED LIGHTING TOWER - ML Series LT3000

### LT-MOBI-3000

#### ■ Product Feature

- **BROAD-SPECTRUM** Onboard generator can be used in areas where there is no electricity, such as construction sites and fields
- **COST EFFECTIVE** Lowest total cost of ownership for a light tower - no service interval  
Compact footprint saves on transportation costs  
Instant-on LED lights
- **VERSATILE** Power from 95-295V utility power source, generator, battery or another light tower
- **EASY TO USE** Adopt pneumatic lifting rod, realize automatic lifting, simple operation, safe and reliable

#### ■ Product Application

- Industrial Plants
- Manufacturing
- Warehousing
- Worksite Lighting
- Sporting Events
- Parking Lot Lighting
- School Events
- Municipal Projects
- Auto Dealers
- Hi-rise Construction
- Construction
- General Rental

### POWER OPTIONS



#### GENERATOR POWER

Gas powered 5KW generator provides 22A of power at 230VAC. 25L tank capacity.




#### BATTERY POWER

(2) 400Ah rechargeable lithium batteries output 110VAC for 3.2hrs of continuous use at 3000W allows quiet, emissions free operation. Includes 110VAC inverter/charger.

## MOBILE LED LIGHTING TOWER - ML Series LT3000

### ■ Product design details



#### **LED Lights**

Eight 375W LED floodlights are small in size and light in weight. Using only LEDs with stable color and color rendered index (CRI) of up to 95, non flickering. Good uniformity of illumination and high refresh rate - suitable for video and television broadcast. Outfitted with top brand power supplies for reliable performance. Functional in high temperature and humid environments. Housings are IP67 water and dust proof to ensure long life in any outdoor environment. Accepts a wide range of voltage inputs (90-295V/AC, 50-60Hz). Multiple dimming modes available (DMX512, DALI, 0-10V).

#### **Automatic Mast**

Can be raised up to 30'. Rotates 360°. Lights also rotate angular position for precise light focusing.

#### **Tow Behind Generator Housing**

Eight 375W light clusters powered by an onboard 5kW generator or 400Ah rechargeable battery pack.

#### **Extendable Stabilizing Outriggers**

Enables light tower to withstand wind gusts up to 50 MPH.

#### **Optional anti-glare eyebrow shades**

