


Specifications

Model No.	Power	Voltage	Wave length	UVC Radiation Intensity(1 meter away from UVC corn light)	Lamp base	Timing	Size	Operating Temp (°C/°F)	Life span	Weight (lbs=kgx2.2)	Color
U28-85W-01	85W±15%	100-277V 50-60Hz	UVC 254nm	213.0 µw/cm²	E26/E27	30/60/90/120 mins	E26:D104*L360mm	5°C~40°C 41°F~104°F	9,000H	NW:1.30kg GW:1.55kg	Matt Silver

Feature



Quartz tube



Wireless control



18S delay start



Ozone-free UV



Built-in microwave sensor




Effectively kill 99.9% mites



Effectively kill 99.9% parasites



Effectively kill 99.9% viruses





UV purification diagram

Ozone-free UV lamp


UV radiation is in straight lines. If UV radiation is blocked, it will not purify.

- U28 Built-in microwave sensor




UVC CORN LIGHT - GK Series U28

- U28 wireless remote controller




- U28 lamp base optional



- U28 Installation method

Optional accessories:
eyebolt base and tripod (M8 adapter)



Method 1: Hanging





Method 2: Standing


Dimension

U28-85W

E26 D104*L359.7mm




Application



School



Hospital




Office



Pet shop

Packing

Model No.	Inner box size (mm) (x0.0393=inch)	N.W per lamp (kg) (lbs=kgx2.2)	G.W per lamp (kg) (lbs=kgx2.2)	G.W per Carton (kg) (lbs=kgx2.2)	Carton size (mm) (x0.0393=inch)	Quantity per carton
U28-85W-01	400x121x121mm	1.30Kg	1.55Kg	10.14Kg	381x257x420mm	6PCS
L21-03 (Eyebolt base:E26/E27)	130x130x92mm	0.38Kg	0.49Kg	6.27Kg	535x400x112mm	12PCS
L22-01 (Tripod)	890x136x110mm	1.9Kg	2.27Kg	14.7Kg	905x424x240mm	6PCS



CAUTIONS

- Be aware of risk of electric shock. Do not use this product in wet areas.
- Do not expose eyes and skin to UV light when the light is working.
- Do not take apart the lamp without our permit.